

Author Index

Arabia, A.-M., Shen, P.-J. and Gundlach, A.L. Increased striatal proenkephalin mRNA subsequent to production of spreading depression in rat cerebral cortex: activation of corticostriatal pathways? (61) 195

Barke, R.A., see Roy, S. (61) 190 Bell, R.A., see Wong, D.L. (61) 154 Berchtold, N.C., see Oliff, H.S. (61) 147 Bernard, M., see Chong, N.W. (61) 243 Byers, M.R., see Wheeler, E.F. (61) 23

Cassone, V.M., see Chong, N.W. (61) 243 Chaparro, O., Yu, W.-h.A. and Shaw, P.A. Isoproterenol-induced expression of the cystatin S gene in submandibular glands of parasympathectomized rats (61) 136

Cheung, N.Y., see Hirst, W.D. (61) 90 Cho, S., see Jung, N. (61) 162 Chong, N.W., Cassone, V.M., Bernard, M., Klein, D.C. and Iuvone, P.M. Circadian expression of tryptophan hydroxylase mRNA in the chicken retina (61) 243

Cotman, C.W., see Oliff, H.S. (61) 147

Dragunow, M., see Walton, M. (61) 11 Drukarch, B., see Van de Witte, S.V. (61) 219 Dunn, R.J., see Niloff, M.S. (61) 78

Ebert, S.N., see Wong, D.L. (61) 154 Erdtmann-Vourliotis, M., Mayer, P., Riechert, U., Grecksch, G. and Höllt, V. Identification of brain regions that are markedly activated by morphine in tolerant but not in naive rats (61) 51

Feldpaush, D.L., see Meng, Z.-h. (61) 39 Friedman, L.K. and Velísková, J. GluR2 hippocampal knockdown reveals developmental regulation of epileptogenicity and neurodegeneration (61) 224

Gale, K., see New, K.C. (61) 121 Gillardon, F., Hata, R. and Hossmann, K.-A. Delayed up-regulation of Zacl and PACAP type I receptor after transient focal cerebral ischemia in mice (61) 207

Gluckman, P., see Walton, M. (61) 11 Grecksch, G., see Erdtmann-Vourliotis, M. (61)

Gundlach, A.L., see Arabia, A.-M. (61) 195

Hansen, W., see Walton, M. (61) 11 Hashimoto, K., see Nakahara, T. (61) 238 Hata, R., see Gillardon, F. (61) 207 Her, S., see Wong, D.L. (61) 154 Hirst, W.D., Cheung, N.Y., Rattray, M., Price, G.W. and Wilkin, G.P. Cultured astrocytes express messenger RNA for multiple serotonin receptor subtypes, without functional coupling of 5-HT₁ receptor subtypes to adenylyl cyclase (61) 90 Hisatomi, S., see Nakahara, T. (61) 238 Höllt, V., see Erdtmann-Vourliotis, M. (61) 51 Holmes, M.C., see Robson, A.C. (61) 1 Hondo, H., see Nakahara, T. (61) 238 Hossmann, K.-A., see Gillardon, F. (61) 207

Isackson, P., see Oliff, H.S. (61) 147 Ishiguro, H., see Suzuki, T. (61) 69 Ishii, N., see Matsumoto, K. (61) 179 Iuvone, P.M., see Chong, N.W. (61) 243

Jacques, D., Tong, Y., Shen, S.H. and Quirion, Discrete distribution of the neuropeptide Y Y₅ receptor gene in the human brain: an in situ hybridization study (61) 100

Jung, N., Sun, W., Lee, H., Cho, S., Shim, C. and Kim, K. Gonadotropin-releasing hormone (GnRH) gene regulation by N-methyl-D-aspartic acid in GT1-1 neuronal cells: differential involvement of c-fos and c-jun protooncogenes (61) 162

Kakizawa, K., Nomura, H., Yoshida, A. and Ueda, H. Signaling of lysophosphatidic acid-evoked chloride current: calcium release from inositol trisphosphate-sensitive store (61) 232 Kim, K., see Jung, N. (61) 162

Kitahara, T., Takeda, N., Uno, A., Kubo, T., Mishina, M. and Kiyama, H. Unilateral labyrinthectomy downregulates glutamate receptor δ -2 expression in the rat vestibulocerebellum (61) 170

Kiyama, H., see Kitahara, T. (61) 170 Klein, D.C., see Chong, N.W. (61) 243 Korhonen, P., see Salminen, A. (61) 203 Kraus, J.E. and McNamara, J.O.

Measurement of NMDA receptor protein subunits in discrete hippocampal regions of kindled animals (61) 114

Kubo, T., see Kitahara, T. (61) 170

Lawlor, P., see Walton, M. (61) 11 Leckie, C.M., see Robson, A.C. (61) 1 Lee, H., see Jung, N. (61) 162 Levine, R.L., see Niloff, M.S. (61) 78 Loh, H.H., see Roy, S. (61) 190

MacGibbon, G., see Walton, M. (61) 11 Martuza, R.L., see New, K.C. (61) 121 Matsumoto, K., Ishii, N., Yoshida, S., Shiosaka, S., Wanaka, A. and Tohyama, M. Molecular cloning and distinct developmental expression pattern of spliced forms of a novel zinc finger gene wiz in the mouse cerebellum (61) 179

Mayer, P., see Erdtmann-Vourliotis, M. (61) 51 McNamara, J.O., see Kraus, J.E. (61) 114 Meng, Z.-h., Feldpaush, D.L. and Merchant, K.M.

Clozapine and haloperidol block the induction of behavioral sensitization to amphetamine and associated genomic responses in rats (61) 39

Merchant, K.M., see Meng, Z.-h. (61) 39 Mishina, M., see Kitahara, T. (61) 170 Mitake, S., see Suzuki, T. (61) 69 Motomura, K., see Nakahara, T. (61) 238

Naftel, J.P., see Wheeler, E.F. (61) 23 Nagatsu, T., see Suzuki, T. (61) 69 Nakahara, T., Nakamura, K., Tsutsumi, T., Hashimoto, K., Hondo, H., Hisatomi, S., Motomura, K. and Uchimura, H. Effect of chronic haloperidol treatment on synaptic protein mRNAs in the rat brain (61) 238

Nakamura, K., see Nakahara, T. (61) 238 New, K.C., Gale, K., Martuza, R.L. and Rabkin,

Novel synthesis and release of GABA in cerebellar granule cell cultures after infection with defective herpes simplex virus vectors expressing glutamic acid decarboxylase (61) 121

Newberry, N.R., see Watkins, C.J. (61) 108 Niloff, M.S., Dunn, R.J. and Levine, R.L. The levels of retinal mRNA for gefiltin, a neuronal intermediate filament protein, are regulated by the tectum during optic fiber regeneration in the goldfish (61) 78

Nishizaki, T. and Sumikawa, K. Nicotinic receptors are regulated by protein kinase C activated via a nicotinic receptorsmediated signaling pathway (61) 211

Nomura, H., see Kakizawa, K. (61) 232

Okumura-Noji, K., see Suzuki, T. (61) 69
Oliff, H.S., Berchtold, N.C., Isackson, P. and
Cotman, C.W.
Exercise-induced regulation of brain-derived neurotrophic factor (BDNF) transcripts in the rat hippocampus (61) 147

Pan, M., see Wheeler, E.F. (61) 23 Pei, Q., see Watkins, C.J. (61) 108 Price, G.W., see Hirst, W.D. (61) 90

Quirion, R., see Jacques, D. (61) 100

Rabkin, S.D., see New, K.C. (61) 121 Rattray, M., see Hirst, W.D. (61) 90 Riechert, U., see Erdtmann-Vourliotis, M. (61) 51

Robson, A.C., Leckie, C.M., Seckl, J.R. and Holmes, M.C.
11β-Hydroxysteroid dehydrogenase type 2 in the postnatal and adult rat brain (61) 1

Roy, S., Barke, R.A. and Loh, H.H.
MU-opioid receptor-knockout mice: role of μ-opioid receptor in morphine mediated immune functions (61) 190

Sagrillo, C.A. and Selmanoff, M.

Effects of prolactin on expression of the mRNAs encoding the immediate early genes zif/268 (NGF1-A), nur/77 (NGF1-B), c-fos and c-jun in the hypothalamus (61) 62

Salminen, A., Tapiola, T., Korhonen, P. and Suuronen, T.

Neuronal apoptosis induced by histone deacetylase inhibitors (61) 203

Saura, J., see Walton, M. (61) 11 Seckl, J.R., see Robson, A.C. (61) 1 Selmanoff, M., see Sagrillo, C.A. (61) 62 Shaw, P.A., see Chaparro, O. (61) 136 Shen, P.-J., see Arabia, A.-M. (61) 195 Shen, S.H., see Jacques, D. (61) 100 Shim, C., see Jung, N. (61) 162 Shiosaka, S., see Matsumoto, K. (61) 179 Siddall, B.J., see Wong, D.L. (61) 154 Sirimanne, E., see Walton, M. (61) 11 Stoof, J.C., see Van de Witte, S.V. (61) 219 Sumikawa, K., see Nishizaki, T. (61) 211 Sun, W., see Jung, N. (61) 162 Suuronen, T., see Salminen, A. (61) 203 Suzuki, T., Usuda, N., Ishiguro, H., Mitake, S., Nagatsu, T. and Okumura-Noji, K. Occurrence of a transcription factor, cAMP response element-binding protein (CREB), in the postsynaptic sites of the brain (61) 69

Takeda, N., see Kitahara, T. (61) 170 Tapiola, T., see Salminen, A. (61) 203 Tohyama, M., see Matsumoto, K. (61) 179 Tong, Y., see Jacques, D. (61) 100 Tsutsumi, T., see Nakahara, T. (61) 238

Uchimura, H., see Nakahara, T. (61) 238 Ueda, H., see Kakizawa, K. (61) 232 Uno, A., see Kitahara, T. (61) 170 Usuda, N., see Suzuki, T. (61) 69

Van de Witte, S.V., Drukarch, B., Stoof, J.C. and Voorn, P. Priming with L-DOPA differently affects dynorphin and substance P mRNA levels in the striatum of 6-hydroxydopamine-lesioned rats after challenge with dopamine D1-receptor agonist (61) 219

Velísková, J., see Friedman, L.K. (61) 224 Von Bartheld, C.S., see Wheeler, E.F. (61) 23 Voorn, P., see Van de Witte, S.V. (61) 219

Walton, M., Saura, J., Young, D., MacGibbon,
G., Hansen, W., Lawlor, P., Sirimanne, E.,
Gluckman, P. and Dragunow, M.
CCAAT-enhancer binding proteinα is expressed in activated microglial cells after brain injury (61) 11

Wanaka, A., see Matsumoto, K. (61) 179
 Watkins, C.J., Pei, Q. and Newberry, N.R.
 Differential effects of electroconvulsive shock on the glutamate receptor mRNAs for NR2A, NR2B and mGluR5b (61) 108

Wheeler, E.F., Naftel, J.P., Pan, M.,
Von Bartheld, C.S. and Byers, M.R.
Neurotrophin receptor expression is induced
in a subpopulation of trigeminal neurons
that label by retrograde transport of NGF or
Fluoro-gold following tooth injury (61) 23

Wilkin, G.P., see Hirst, W.D. (61) 90
Wong, D.L., Siddall, B.J., Ebert, S.N., Bell, R.A. and Her, S.
Phenylethanolamine *N*-methyltransferase gene expression: synergistic activation by Egr-1, AP-2 and the glucocorticoid receptor (61) 154

Yoshida, A., see Kakizawa, K. (61) 232 Yoshida, S., see Matsumoto, K. (61) 179 Young, D., see Walton, M. (61) 11 Yu, W.-h.A., see Chaparro, O. (61) 136